



# DIGITAL WATERPROOF IP67 DEPTH CALIPER MICROTECH



ISO/IES 17025:2006 (cert. № 4K051)



Quality management system  
ISO 9001:2015 (cert. № U228396)





# 1.MODIFICATIONS

Item No	Range	Resolution	Accuracy	Base	Waterproof	Data output
	mm	mm	mm	mm		
1432010152	0-150	0,005	$\pm 0,03$	102	IP-67	-
1432010202	0-200	0,005	$\pm 0,03$	102	IP-67	-
1432010302	0-300	0,005	$\pm 0,04$	102	IP-67	-

# 2.BUTTON FUNCTIONS

Switching between absolute and relative measurement (display INC) or setting ZERO

Switch between metric and English measurement systems

Hold measured value

Switching on/off or setting zero (5 sec push)





## 3. OPERATION INSTRUCTIONS

3.1 Wipe with a clean cloth, soaked in gasoline, measuring surface of the frame and gauge calipers to remove anti-corrosion oil. Then wipe them with a clean dry cloth.

3.2 If necessary, open the battery cover; insert the battery (type CR2032) according to the polarity of the electrodes. Blinking display information or absence suggests replacing battery.

3.3 This depth caliper has Autoswitch on/ off function:

- move electronic module for switch on caliper
- after 10 minutes without any moving caliper will switch off

3.4 During the measurement avoid warps of measuring surfaces of the instrument. Measuring surface must be fully in contact with the measurement object.



## WARNING!

**IN THE PROCESS OF WORKING WITH CALIPERS SHOULD BE AVOIDED:**

**Scratches on the measuring surfaces;**

**Measuring the size of object in the process of machining;**

**Shocks or dropping, avoid bending of rod or other surfaces.**





## 4. INSTRUMENT FIGURE

